

Caster-Rack Systems Ltd.
Halifax, NS
902-468-1880
caster-rack.com
email: sales@caster-rack.com

WAREHOUSING & STORAGE



Lockers	70 - 71
Locker Room Benches.....	70
Chromate Wire Shelving.....	72 - 78
Chromate Wire Carts	75 - 76
Green Epoxy Wire Shelving	76 - 77
Parts Cabinets	79 - 82
Storage Cabinets.....	83 - 84
Drawer Cabinets	85 - 86
Hi-Stak Plastic Storage Bins.....	87
Plastic Bins.....	88
Storage Bins	89
Storage Bin Racks	90 - 92, 95 - 96

Bulk Stacking Racks	93
Stacking Racks.....	94
Reel Dispensers	94
Gas Cylinder Cabinets	97
Wire Mesh Partitions & Enclosures	98 - 100
Strip Curtain Doors.....	101
Safety Guards.....	102, 105
Racking Protectors	103
Guard Rails	103
Bollards	105
Tarpaulins	106 - 107
Furniture Pads	107

LOCKERS & LOCKER ROOM BENCHES

Caster-Rack Systems Ltd.
Dartmouth, NS
902-468-1880
caster-rack.com
email: sales@caster-rack.com



READY TO ASSEMBLE STEEL LOCKERS

- Ships knocked down, ready to assemble with nuts and bolts included
- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately
- Single tier dimensions: 12" W x 18" D x 72" H
- Double tier door height: 33 1/4"
- Lockerettes door height: 11"



SINGLE TIER

Dimensions:
12" W x 18" D x 72" H




DOUBLE TIER

Dimensions:
12" W x 18" D x 72" H
33 1/4" height per locker



LOCKERETTES

Dimensions:
12" W x 18" D x 72" H
11" height per lockerette



Three zinc-plated coat hooks and one shelf included with single and double tier lockers



Stainless steel recessed padlock handles
Magnetic latch ensures door is properly fastened when closed



Double pan construction doors, 20-gauge outer and 24-gauge inner pans
16-gauge frames, 24-gauge body and shelves

LOCKER ROOM BENCHES

- 16 gauge steel all-welded
- Wood top benches feature black powder coated legs that can be used free-standing or bolted to the floor
- Necessary for any locker room
- 9 1/4" wide rounded hardwood top



Model No.	Type	Dimensions L" x W" x H"	Wt. lbs.
FB002	Steel	72 x 12 x 17	35
RL871	Wood	48 x 9 1/2 x 16 1/2	23
RL872	Wood	60 x 9 1/2 x 16 1/2	29
RL873	Wood	72 x 9 1/2 x 16 1/2	31
RL874	Wood	96 x 9 1/2 x 16 1/2	39



FB002



RL871



Caster-Rack Systems Ltd.
Dartmouth, Nova Scotia
902-468-1880
caster-rack.com



LOCKERS

Ready to assemble, these 16 gauge quality lockers will help keep belongings safe and organized.

SINGLE TIER



Model No.	Bank of	Wt. lbs.
FL362	1	52
FL363	2	96
FL364	3	139
W/SLOPE TOP		
FL380	1	56
FL381	2	104
FL382	3	151
W/RECESSED BASE		
FL392	1	56
FL393	2	104
FL394	3	151
W/SLOPE TOP & RECESSED BASE		
FL404	1	60
FL405	2	112
FL406	3	163

DOUBLE TIER



Model No.	Bank of	Wt. lbs.
FL366	1	54
FL367	2	98
FL368	3	141
W/SLOPE TOP		
FL384	1	57
FL385	2	106
FL386	3	153
W/RECESSED BASE		
FL396	1	57
FL397	2	106
FL398	3	153
W/SLOPE TOP & RECESSED BASE		
FL408	1	61
FL409	2	114
FL410	3	165

LOCKERETTES



Model No.	Bank of	Wt. lbs.
FL370	1	56
FL371	2	112
FL372	3	168
W/SLOPE TOP		
FL388	1	60
FL389	2	120
FL390	3	180
W/RECESSED BASE		
FL400	1	60
FL401	2	120
FL402	3	180
W/SLOPE TOP & RECESSED BASE		
FL412	1	64
FL413	2	128
FL414	3	192



SLOPE TOP

- Helps eliminate dust build up
- Raises top by 10"



RECESSED BASE

- Prevents liquids from entering the locker
- Raises locker 4" off the ground

Model No.	Description
FL375	10" Slope top
FL374	4" Recessed base
FL376	Nuts & bolts for Kleton lockers
FL518	Number plates (Set of 1 to 25)
FL519	Number plates (Set of 26 to 50)
FL520	Number plates (Set of 51 to 75)
FL521	Number plates (Set of 76 to 100)

KLETON

CHROMATE WIRE SHELVING

- Heavy-gauge chromate plated shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools



WIRE SHELVING COMPONENTS

- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Assembly required

WIRE SHELVES

Model No.	Dimensions D" x W"	Cap lbs.*	Wt. lbs.
RL606	14 x 30	800	7.5
RL607	14 x 36	800	8.25
RL608	14 x 48	800	10.5
RL609	14 x 60	600	14.25
RL610	14 x 72	600	17.5
RL035	18 x 30	800	8.5
RL036	18 x 36	800	9.75
RL037	18 x 48	800	12.5
RL038	18 x 60	600	18
RL039	18 x 72	600	20.5
RL040	24 x 36	800	13.25

WIRE SHELVES

RL041	24 x 48	800	16.25
RL042	24 x 60	600	21.5
RL043	24 x 72	600	27

* Evenly distributed weight

POSTS

Model No.	Height"	Wt. lbs.
RL611	33	4
RL330	54	6.3
RL331	63	7
RL332	74	8
RL333	86	8.8

ACCESSORIES



RL048



RL049



RL050
Divider



RL054 - Split Sleeve



RL055
"S" Hook

Use S hooks to eliminate two posts per adjacent shelf. Two required per shelf.



RL056
Leveling
Foot



RL330
Post



RL614
Ledge for
Shelf



RL612
Single Shelf Support



RL613
Double Shelf Support

Model No.	Description	Wt. lbs.
RL048	Caster, 5", no brake	2.8
RL049	Caster, 5", with brake	2.7
RL050	Divider for shelf, 18"	1.7
RL051	Divider for shelf, 24"	2.2
RL052	Handle 18" - For utility carts	3.9
RL053	Handle 24" - For utility carts	4.4
RL054	Split Sleeves, black 4 Pc/bag	0.1
RL055	S-Hook for attaching Add-On	0.1
RL056	Leveling feet (Die cast and foot bolt)	0.2
RL057	Die cast for leveling feet	0.1
RL058	Foot bolt for leveling feet	0.1
RL614	Ledge for shelf, 14"	0.6
RL615	Ledge for shelf, 18"	0.75
RL616	Ledge for shelf, 24"	1
RL617	Ledge for shelf, 30"	2
RL618	Ledge for shelf, 36"	2.5
RL619	Ledge for shelf, 48"	3.5
RL620	Ledge for shelf, 60"	3.75
RL621	Ledge for shelf, 72"	4

DIRECT WALL MOUNTS FOR WIRE SHELVING

Same great features as the KLETON chromate wire shelving, but with the added convenience of directly mounting on a wall.

- Wall mounts maximize available floor space
- Each wall mount unit consists of one shelf support and mounting plate
- Use single support at shelf ends; double support for adjoining shelves
- Installation note: Wall mounts must be securely fastened to materials of adequate load bearing strength. (Load rating: 200 lbs. (91kg) per system)

Model No.	Shelf Support	Shelf Depth
RL612	Single	14"
RL898	Single	18"
RL900	Single	24"
RL613	Double	14"
RL899	Double	18"
RL901	Double	24"


WALL MOUNT WIRE SHELVING KITS

- Kit includes shelves, supports and mounting plate

Model No.	Description	Shelf Dimensions
RL911	1 Shelf	14" x 30"
RL912	2 Shelves	14" x 30"



RL911
Shelf & Support Kit



CHROMATE WIRE SHELVING

Kleton wire shelving can be assembled in several configurations End to End, at Right Angles as well as many other combinations.



4 SHELVES

Model No.	Type	Dimensions D" x W" x H"	Cap Lbs. /Shelf*	Wt. Lbs.
63" POSTS				
RL907	Starter	14 x 30 x 63	800	39
RL908	Add-on	14 x 30 x 63	800	32
RL632	Starter	14 x 36 x 63	800	43
RL633	Add-on	14 x 36 x 63	800	35.5
RL634	Starter	14 x 48 x 63	800	49
RL635	Add-on	14 x 48 x 63	800	42
RL636	Starter	14 x 60 x 63	600	64.75
RL637	Add-on	14 x 60 x 63	600	57.75
RL638	Starter	14 x 72 x 63	600	71.5
RL639	Add-on	14 x 72 x 63	600	64
RL059	Starter	18 x 36 x 63	800	48
RL060	Add-on	18 x 36 x 63	800	35
RL061	Starter	18 x 48 x 63	800	58
RL062	Add-on	18 x 48 x 63	800	53.5
RL063	Starter	18 x 60 x 63	600	81
RL064	Add-on	18 x 60 x 63	600	76.5
RL065	Starter	18 x 72 x 63	600	91
RL066	Add-on	18 x 72 x 63	600	86.5
RL067	Starter	24 x 36 x 63	800	62
RL068	Add-on	24 x 36 x 63	800	57.5
RL069	Starter	24 x 48 x 63	800	74
RL070	Add-on	24 x 48 x 63	800	69.5
RL071	Starter	24 x 60 x 63	600	95
RL072	Add-on	24 x 60 x 63	600	90.5
RL073	Starter	24 x 72 x 63	600	117
RL074	Add-on	24 x 72 x 63	600	112.5

* Evenly distributed weight

5 SHELVES

Model No.	Type	Dimensions D" x W" x H"	Cap Lbs. /Shelf*	Wt. Lbs.
74" POSTS				
RL909	Starter	14 x 30 x 74	800	46.5
RL910	Add-on	14 x 30 x 74	800	39
RL640	Starter	14 x 36 x 74	800	51
RL641	Add-on	14 x 36 x 74	800	44
RL642	Starter	14 x 48 x 74	800	59
RL643	Add-on	14 x 48 x 74	800	42.8
RL644	Starter	14 x 60 x 74	600	78.75
RL645	Add-on	14 x 60 x 74	600	71
RL646	Starter	14 x 72 x 74	600	87
RL647	Add-on	14 x 72 x 74	600	79.5
RL075	Starter	18 x 36 x 74	800	67.75
RL076	Add-on	18 x 36 x 74	800	58.25
RL077	Starter	18 x 48 x 74	800	80.25
RL078	Add-on	18 x 48 x 74	800	70.75
RL079	Starter	18 x 60 x 74	600	109
RL080	Add-on	18 x 60 x 74	600	99.5
RL081	Starter	18 x 72 x 74	600	121.5
RL082	Add-on	18 x 72 x 74	600	112
RL083	Starter	24 x 36 x 74	800	85.25
RL084	Add-on	24 x 36 x 74	800	75.75
RL085	Starter	24 x 48 x 74	800	100.25
RL086	Add-on	24 x 48 x 74	800	90.75
RL087	Starter	24 x 60 x 74	600	126.5
RL088	Add-on	24 x 60 x 74	600	117
RL089	Starter	24 x 72 x 74	600	154
RL090	Add-on	24 x 72 x 74	600	144.5
86" POSTS				
RL448	Starter	18 x 36 x 86	800	62
RL449	Add-on	18 x 36 x 86	800	53
RL450	Starter	18 x 48 x 86	800	69
RL451	Add-on	18 x 48 x 86	800	60
RL452	Starter	18 x 60 x 86	600	91.5
RL453	Add-on	18 x 60 x 86	600	82
RL454	Starter	18 x 72 x 86	600	96
RL455	Add-on	18 x 72 x 86	600	87
RL456	Starter	24 x 36 x 86	800	74
RL457	Add-on	24 x 36 x 86	800	65
RL458	Starter	24 x 48 x 86	800	90
RL459	Add-on	24 x 48 x 86	800	80
RL460	Starter	24 x 60 x 86	600	107
RL461	Add-on	24 x 60 x 86	600	97
RL462	Starter	24 x 72 x 86	600	129
RL463	Add-on	24 x 72 x 86	600	120

* Evenly distributed weight

WIRE SHELVING WITH STORAGE BINS

Same great features as the KLETON chromate wire shelving, but with the added convenience of heavy-duty storage bins.



Model No.	Shelving Size D" x W" x H"	No. of Shelves	Bin Model No.*	No. of Bins	Colour
RL815	14 x 36 x 74	8	CB264	28	Blue
RL816	14 x 36 x 74	8	CB265	28	Yellow
RL817	14 x 36 x 74	8	CC236	28	Green
RL818	14 x 36 x 74	8	CC244	28	Red
RL819	18 x 36 x 74	8	CC239	28	Blue
RL820	18 x 36 x 74	8	CC240	28	Yellow
RL821	18 x 36 x 74	8	CC237	28	Green
RL822	18 x 36 x 74	8	CC245	28	Red
RL823	24 x 36 x 74	5	CF328	8	Blue
RL824	24 x 36 x 74	5	CF330	8	Yellow
RL825	24 x 36 x 74	5	CF329	8	Green
RL826	24 x 36 x 74	5	CF327	8	Red
RL827	18 x 48 x 74	8	CC239 CB266	28 7	Blue
RL828	18 x 48 x 74	8	CC240 CB267	28 7	Yellow
RL829	18 x 48 x 74	8	CC237 CC288	28 7	Green
RL830	18 x 48 x 74	8	CC245 CC246	28 7	Red
RL831	18 x 48 x 74	8	CC239 CB266	7 21	Blue
RL832	18 x 48 x 74	8	CC240 CB267	7 21	Yellow
RL833	18 x 48 x 74	8	CC237 CC238	7 21	Green
RL834	18 x 48 x 74	8	CC245 CC246	7 21	Red
RL835	24 x 48 x 74	5	CC239 CB266 CF328	4 7 6	Blue
RL836	24 x 48 x 74	5	CC240 CB267 CF330	4 7 6	Yellow
RL837	24 x 48 x 74	5	CC237 CC238 CF329	4 7 6	Green
RL838	24 x 48 x 74	5	CC245 CC246 CF327	4 7 6	Red
RL839	18 x 36 x 74	8	CB266 CC239	7 14	Blue
RL840	18 x 36 x 74	8	CB267 CC240	7 14	Yellow
RL841	18 x 36 x 74	8	CC238 CC237	7 14	Green
RL842	18 x 36 x 74	8	CC246 CC245	7 14	Red

* See Page 87 for bin dimensions

WIRE SHELVING UNITS WITH STORAGE BINS

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage
- Total unit capacity should not exceed - 2000 lbs.
- NSF certified (wire shelving unit only)
- Assembly required



RL815



RL820



RL826



RL837



CHROMATE WIRE CARTS

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily



UTILITY CARTS

- Durable, dependable transport solution
- Highly rigid construction that is easily adjustable at 1" increments
- Two handles allow for easy maneuverability
- NSF certified
- One year limited warranty
- Shipped knocked down

**600 - LB.
CAPACITY**
Evenly Distributed



PUSH CARTS

- Durable, dependable transport solution
- Easy maneuverability
- Shelves can be adjusted quickly and easily
- NSF certified
- One year limited warranty
- Shipped knocked down

**600 - LB.
CAPACITY**
Evenly Distributed



WIRE SHELF CARTS

- Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chromate plated shelves and posts prevent corrosion
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- NSF certified
- One year limited warranty
- Shipped knocked down

**600 - LB.
CAPACITY**
Evenly Distributed

Model No.	Dimensions D" x W" x H"	Wt. lbs.
2 SHELVES		
MK781	18 x 30 x 39	36.5
MK782	18 x 36 x 39	40.25
MK783	18 x 48 x 39	44.75
MK784	18 x 60 x 39	54
MK785	24 x 36 x 39	47.75
MK786	24 x 48 x 39	53.75
MK787	24 x 60 x 39	63.5
3 SHELVES		
MJ539	18 x 30 x 39	51.5
MJ540	18 x 36 x 39	56.5
MJ541	18 x 48 x 39	61
MJ542	18 x 60 x 39	74.25
MJ543	24 x 36 x 39	54
MJ544	24 x 48 x 39	63
MJ545	24 x 60 x 39	73.5

Model No.	Dimensions D" x W" x H"	Wt. lbs.
4 SHELVES		
RL914	14 x 30 x 54	49
RL915	14 x 36 x 54	54.25
RL916	14 x 48 x 54	61.5
RL917	14 x 60 x 54	74.25
5 SHELVES		
RL918	14 x 30 x 54	55.5
RL919	14 x 36 x 54	61.75
RL920	14 x 48 x 54	70.75
RL921	14 x 60 x 54	86.5

Model No.	Dimensions D" x W" x H"	Wt. lbs.
4 SHELVES		
RL600	18 x 36 x 63	59.5
RL601	18 x 48 x 63	65
RL602	18 x 60 x 63	83
RL603	24 x 36 x 63	69
RL604	24 x 48 x 63	81
RL605	24 x 60 x 63	95
MJ527	18 x 36 x 74	60.75
MJ528	18 x 48 x 74	66.5
MJ529	18 x 60 x 74	85
MJ530	24 x 36 x 74	70.5
MJ531	24 x 48 x 74	82.5
MJ532	24 x 60 x 74	96.5
5 SHELVES		
MJ533	18 x 36 x 86	73
MJ534	18 x 48 x 86	80
MJ535	18 x 60 x 86	102.5
MJ536	24 x 36 x 86	85
MJ537	24 x 48 x 86	96
MJ538	24 x 60 x 86	117.5

GREEN EPOXY FINISH WIRE SHELVING

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily



GREEN EPOXY FINISH WIRE SHELVING COMPONENTS

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Shipped knocked down

WIRE SHELVES

Model No.	D" x W"	Cap lbs. Shelf*
RN082	14 x 30	800
RN083	14 x 36	800
RN084	14 x 48	800
RN085	14 X 60	800
RN086	14 x 72	800
RN087	18 x 30	800
RL622	18 x 36	800
RL623	18 x 48	800
RL624	18 x 60	600
RL625	18 x 72	600
RL626	24 x 36	800
RL627	24 x 48	800
RL628	24 x 60	600
RN077	24 x 72	600

- Evenly distributed weight

POSTS

Model No.	Height"
RL629	63
RL630	74
RL631	86



RL803

GREEN EPOXY FINISH WIRE SHELF CARTS

- Green epoxy wire shelf carts are ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters, two swivel, two with brake
- NSF certified
- One year limited warranty
- Shipped knocked down

**600 - LB.
CAPACITY**
Evenly Distributed

4 SHELVES

Model No.	Dimensions D" x W" x H"	Wt. lbs.
RN129	18 x 36 x 63	59
RN130	18 x 48 x 63	70
RN131	18 x 60 x 63	86
RN132	24 x 36 x 63	73
RN133	24 x 48 x 63	85
RN134	24 x 60 x 63	93
RL803	18 x 36 x 74	64
RL804	18 x 48 x 74	74
RL805	18 x 60 x 74	94
RL806	24 x 36 x 74	78
RL807	24 x 48 x 74	90
RL808	24 x 60 x 74	110

- Evenly distributed weight

5 SHELVES

Model No.	Dimensions D" x W" x H"	Wt. lbs.
RL809	18 x 36 x 86	68
RL810	18 x 48 x 86	78
RL811	18 x 60 x 86	98
RL812	24 x 36 x 86	82
RL813	24 x 48 x 86	94
RL814	24 x 60 x 86	114

GREEN EPOXY FINISH WIRE SHELVING

- Ideal for use in wet environments
- Perfect for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily



RL648

GREEN EPOXY FINISH WIRE SHELVING

- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Shipped knocked down

4 SHELVES

Model No.	Type	Dimensions D" x W" x H"	Cap lbs. Shelf
RN089	Starter	14 x 30 x 63	800
RN090	Add-on	14 x 30 x 63	800
RN091	Starter	14 x 36 x 63	800
RN092	Add-on	14 x 36 x 63	800
RN093	Starter	14 x 48 x 63	800
RN094	Add-on	14 x 48 x 63	800
RN095	Starter	14 x 60 x 63	600
RN096	Add-on	14 x 60 x 63	600
RN097	Starter	14 x 72 x 63	600
RN098	Add-on	14 x 72 x 63	600
RL648	Starter	18 x 36 x 63	800
RL649	Add-on	18 x 36 x 63	800
RL650	Starter	18 x 48 x 63	800
RL651	Add-on	18 x 48 x 63	800
RL652	Starter	18 x 60 x 63	600
RL653	Add-on	18 x 60 x 63	600
RL654	Starter	18 x 72 x 63	600
RL655	Add-on	18 x 72 x 63	600
RL656	Starter	24 x 36 x 63	800
RL657	Add-on	24 x 36 x 63	800
RL658	Starter	24 x 48 x 63	800
RL659	Add-on	24 x 48 x 63	800
RL660	Starter	24 x 60 x 63	600
RL661	Add-on	24 x 60 x 63	600
RN099	Starter	24 x 72 x 63	600
RN100	Add-on	24 x 72 x 63	600

• Evenly distributed weight

5 SHELVES

Model No.	Type	Dimensions D" x W" x H"	Cap lbs. Shelf
RN101	Starter	14 x 30 x 74	800
RN102	Add-on	14 x 30 x 74	800
RN103	Starter	14 x 36 x 74	800
RN104	Add-on	14 x 36 x 74	800
RN105	Starter	14 x 48 x 74	800
RN106	Add-on	14 x 48 x 74	800
RN107	Starter	14 x 60 x 74	600
RN108	Add-on	14 x 60 x 74	600
RN109	Starter	14 x 72 x 74	600
RN110	Add-on	14 x 72 x 74	600
RL662	Starter	18 x 36 x 74	800
RL663	Add-on	18 x 36 x 74	800
RN113	Starter	18 x 36 x 86	800
RN114	Add-on	18 x 36 x 86	800
RL664	Starter	18 x 48 x 74	800
RL665	Add-on	18 x 48 x 74	800
RN115	Starter	18 x 48 x 86	800
RN116	Add-on	18 x 48 x 86	800
RL666	Starter	18 x 60 x 74	600
RL667	Add-on	18 x 60 x 74	600
RN117	Starter	18 x 60 x 86	600
RN118	Add-on	18 x 60 x 86	600
RL668	Starter	18 x 72 x 74	600
RL669	Add-on	18 x 72 x 74	600
RN119	Starter	18 x 72 x 86	600
RN120	Add-on	18 x 72 x 86	600
RL670	Starter	24 x 36 x 74	800
RL671	Add-on	24 x 36 x 74	800
RN121	Starter	24 x 36 x 86	800
RN122	Add-on	24 x 36 x 86	800
RL672	Starter	24 x 48 x 74	800
RL673	Add-on	24 x 48 x 74	800
RN123	Starter	24 x 48 x 86	800
RN124	Add-on	24 x 48 x 86	800
RL674	Starter	24 x 60 x 74	600
RL675	Add-on	24 x 60 x 74	600
RN125	Starter	24 x 60 x 86	600
RN126	Add-on	24 x 60 x 86	600
RN111	Starter	24 x 72 x 74	600
RN112	Add-on	24 x 72 x 74	600
RN127	Starter	24 x 72 x 86	600

• Evenly distributed weight

WIDE SPAN SHELVING

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily



WIDE SPAN SHELVING WITH JUMBO PLASTIC BINS

- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Capacity is 800 lbs. per shelf (based on evenly distributed loads)
- Offered configurations include three levels with 12 bins and four levels with 16 bins.
- Plastic bin outside dimensions :15 1/2" W x 25" D x 13" H
- Assembly required



RL984



RL986



RL981



RL983



Model No.	Shelving Size D" x W" x H"	No. of Shelves	No. of Bins	Colour
RL984	18" x 66" x 60"	3	12	Red
RL985	18" x 66" x 60"	3	12	Blue
RL986	18" x 66" x 60"	3	12	Green
RL987	18" x 66" x 60"	3	12	Yellow
RL988	18" x 66" x 60"	3	12	Red, Blue, Yellow
RL980	18" x 66" x 72"	4	16	Red
RL981	18" x 66" x 72"	4	16	Blue
RL982	18" x 66" x 72"	4	16	Green
RL983	18" x 66" x 72"	4	16	Yellow
RL989	18" x 66" x 72"	4	16	Red, Blue, Yellow, Green

PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
 - Housed in all-welded galvanized steel cabinet
 - Label with clear plastic cover and divider included with every drawer
- Plastic tabs (except model CF323) and drawer stoppers allow for full extension without risk of spilling
 - Grey enamel finish

KPC-HD HEAVY-DUTY PARTS CABINETS

- Reinforced heavy-duty steel shelves provide extra durability
- Drawer size: 6 1/2" W x 14 13/16" D x 4 1/8" H
- Heavy-duty ABS beige drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF323	30	34 5/8 x 15 11/16 x 34 5/8	119


Replacement Parts

Model No. CF324, Drawer

Model No. CF546, Black Divider

Model No. CF343, Label Cover

Model No. CF344, Label



CF323

KPC-100 PARTS CABINETS

- Drawer size: 6 3/8" W x 11 5/16" D x 2 11/16" H
- Heavy-duty ABS beige drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF283	12	23 x 11 3/8 x 13 13/16	28
CF284	24	23 x 11 3/8 x 25 3/16	47
CF285	36	23 x 11 3/8 x 36 7/8	60

Replacement Parts

Model No. CF286, Drawer

Model No. CF287, Clear Divider

Model No. CF545, Black Divider

Model No. CF341, Label Cover

Model No. CC310, Label



CF285

CF284

CF283

PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanized steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish



CA889



CA890



CF289



CF293

KPC-200 PARTS CABINETS

- Drawer size: 5 7/8" W x 9 13/16" D x 3 5/16" H
- Heavy-duty ABS beige drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CA889	30	21 1/8 x 10 1/2 x 36 3/4	58

Replacement Parts

Model No. CF481, Drawer

Model No. CF548, Black Divider

Model No. CF341, Label Cover

Model No. CC310, Label

KPC-300 PARTS CABINETS

- Drawer size: 5 7/8" W x 9 13/16" D x 1 5/8" H
- Clear polystyrene drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF293	18	21 5/16 x 10 3/8 x 12 3/16	25
CF289	24	14 5/16 x 10 3/8 x 22 1/2	32
CA890	60	21 5/16 x 10 3/8 x 36 7/8	60

Replacement Parts

Model No. CB984, Drawer

Model No. CF194, Clear Divider

Model No. CF549, Black Divider

Model No. CF024, Label Cover

Model No. CF340, Label

PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
 - Housed in all-welded galvanized steel cabinet
 - Label with clear plastic cover and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
 - Grey enamel finish

KPC-400 PARTS CABINETS

- Drawer size: 4 11/16" W x 8 5/8" D x 2 11/16" H
- Heavy-duty ABS beige drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF298	16	23 1/8 x 8 11/16 x 13 13/16	24
CA891	24	17 5/16 x 8 11/16 x 25 5/8	33
CA892	48	22 5/8 x 8 11/16 x 36 7/8	58
CD440*	48	22 5/8 x 10.8 x 36 7/8	66.8

* Comes with locking doors

Replacement Parts

Model No. CF025, Lock with two Numbered Keys for CD440

Model No. CB985, Drawer

Model No. CC309, Clear Divider

Model No. CF550, Black Divider

Model No. CF341, Label Cover

Model No. CC310, Label

KPC-500 PARTS CABINETS

- Drawer size: 3 1/2" W x 8 5/8" D x 2 11/16" H
- Clear polystyrene drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF304	15	13 7/8 x 8 11/16 x 16 5/16	22
CF305	16	18 5/16 x 8 11/16 x 13 13/16	21
CF306	20	23 1/8 x 8 11/16 x 13 13/16	27
CC453	32	18 1/8 x 8 11/16 x 25 5/8	31
CC454	60	22 5/8 x 8 11/16 x 36 7/8	68

Replacement Parts

Model No. CC455, Drawer

Model No. CF551, Black Divider

Model No. CF341, Label Cover

Model No. CC310, Label

CA892



CA891

CF298

CD440

CC454



CF305

CF306

CF304

CC453

PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanized steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish



CF315

CF314

CF311

CF313

CF312



CF320

CF319

CF318

KPC-600 PARTS CABINETS

- Drawer size: 3 1/2" W x 8 5/8" D x 2 3/16" H
- Clear polystyrene drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF311	18	13 7/8 x 8 11/16 x 16 5/16	19
CF312	20	18 5/16 x 8 11/16 x 13 13/16	21
CF313	25	23 1/8 x 8 11/16 x 13 13/16	27
CF314	40	18 5/16 x 8 11/16 x 25 5/16	40
CF315	75	23 1/8 x 8 11/16 x 36 7/8	66

Replacement Parts

Model No. CF316, Drawer
Model No. CF317, Clear Divider
Model No. CF552, Black Divider
Model No. CF341, Label Cover
Model No. CC310, Label

KPC-700 PARTS CABINETS

- Drawer size: 4 11/16" W x 8 5/8" D x 2 3/16" H
- Clear polystyrene drawers

Model No.	No. of Drawers	Cabinet Size W" x D" x H"	Wt. lbs.
CF318	20	23 1/8 x 8 11/16 x 13 5/8	25
CF319	30	17 1/2 x 8 11/16 x 25 5/16	40
CF320	60	23 1/8 x 8 11/16 x 36 7/8	71

Replacement Parts

Model No. CF321, Drawer
Model No. CF553, Black Divider
Model No. CF341, Label Cover
Model No. CC310, Label



STORAGE CABINETS

- All-welded heavy-duty 16-gauge deep door cabinets with four reinforced 16-gauge adjustable shelves

DEEP DOOR STORAGE CABINETS

- All-welded heavy-duty 16-gauge deep door steel cabinet
- Four reinforced 16-gauge adjustable cabinet shelves with 500-lb capacity per shelf
- 4" deep doors for maximum storage capacity
- 12 adjustable door shelves with 35-lb capacity per shelf
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (*See below*)

Model No.	Description	Dimension W" x D" x H"	Wt. lbs.
FB024	Cabinet	38 x 24 x 72	315
FB025	Extra Shelf for Cabinet	38 x 17 x 1	18
FB026	Extra Shelf for Door	18 x 6 x 1/2	2



Accessories

Model No.	Description
SA898	Padlock Keyed Different
SR892	Padlock Keyed Alike

84-BIN - DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge deep door, combination bin/shelf cabinet
- Four reinforced 16-gauge main adjustable shelves with 500-lb capacity per shelf
- Incorporates louvered bin hanging panels welded into the cabinets 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (*See above*)

Cabinet Only

Model No.	Description	Dimension W" x D" x H"	Wt. lbs.
CB442	Cabinet Only	38 x 24 x 72	324
FB025	Extra Shelf for Cabinet	38 x 17 x 1	18

Cabinets with Bins

Model No.	Bin Colour	Wt. lbs.	Each Cabinet Comes Complete with the Following Bins:
CB446	Blue	341	84 - 4 1/8" x 5 3/8" x 3" (10 lb. Capacity)
CB477	Red	341	
CB448	Yellow	341	
CB693	Green	341	



FB024



CB448

STORAGE CABINETS

- All-welded heavy-duty 16-gauge deep door cabinet with or without bins.



CF354



CB445

98-BIN DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge deep door, combination bin/shelf cabinet
- Two reinforced 16-gauge main adjustable shelves with 500-lb capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (See page 6)

Cabinet Only

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
FH820	Cabinet Only	38 x 24 x 72	316
FB025	Extra Shelf	38 x 17 x 1	18

Model No.	Bin Colour	Wt. lbs.	Price /Each	Each Cabinet Comes Complete with the Following Bins:
CF355	Blue	385	2044.00	48 - 4 1/8" x 5 3/8" x 3" (10-lb. Capacity)
CF356	Red	385	2044.00	36 - 4 1/8" x 7 3/8" x 3" (10-lb. Capacity)
CF354	Yellow	385	2044.00	8 - 8 1/4" x 14 3/4" x 7" (60-lb. Capacity)
CF357	Green	385	2044.00	6 - 16 1/2" x 14 3/4" x 7" (75-lb. Capacity)

118-BIN DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge deep door steel cabinet with 118 bins
- Incorporates louvered bin hanging panels welded to the cabinet's back and on its 4" deep hinged doors for added storage
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coat KLETON grey finish
- Padlock sold separately (See Page 83)

Cabinet Only

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB441	Cabinet Only	38 x 24 x 72	316

Cabinets with Bins

Model No.	Bin Colour	Wt. lbs.	Price /Each	Each Cabinet Comes Complete with the Following Bins:
CB443	Blue	385	1909.00	42 - 4 1/8" x 5 3/8" x 3" (10-lb. Capacity)
CB444	Red	385	1909.00	42 - 4 1/8" x 7 3/8" x 3" (10-lb. Capacity)
CB445	Yellow	385	1909.00	18 - 5 1/2" x 10 7/8" x 5" (30-lb. Capacity)
CB691	Green	385	1909.00	12 - 8 1/4" x 14 3/4" x 7" (60-lb. Capacity)
				4 - 16 1/2" x 14 3/4" x 7" (75-lb. Capacity)



Caster-Rack Systems Ltd.
Dartmouth, NS
902-468-1880
caster-rack.com
email: sales@caster-rack.com

DRAWER CABINETS

Create your own carousel cabinet or order one of our 3-Tier Cabinet Kits.

HEAVY-DUTY INDUSTRIAL CAROUSEL DRAWER CABINETS

Create your customized carousel cabinet

- Each level accommodates 4 parts cabinets with same height
- For a multiple tier cabinet (maximum 3 tiers), you require add-on-shelves and threaded rods as per the following: 1 add-on-shelf **CF402** for each level of cabinets, 14" rod required for each level of **CF312** or **CF305** cabinets 25" rod required for each level of **CC453** or **CF314** cabinets
- Rotating base allows for 800-lb. capacity
- All-welded 11-gauge steel base
- Durable KLETON grey enamel finish

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CF401	Rotating Base and Top Cover	27 1/2 x 27 1/2 x 4	80
CF402	Add-on Shelf	27 1/2 x 27 1/2 x 1	18
CF403	Threaded Rod - 14"	3/8 x - x 14	1
CF404	Threaded Rod - 25"	3/8 x - x 25	1 1/2
CF305	Parts Cabinet - 16 Drawers	18 5/16 x 8 11/16 x 14	21
CF312	Parts Cabinet - 20 Drawers	18 5/16 x 8 11/16 x 14	21
CC453	Parts Cabinet - 32 Drawers	18 5/16 x 8 11/16 x 25	31
CF314	Parts Cabinet - 40 Drawers	18 5/16 x 8 11/16 x 25	40

3 TIER CABINET KITS

CF405 - 192 Drawers

Includes:

- 12 - **CF305** Parts Cabinets
- 1 - **CF401** Rotating Base and Top Cover
- 2 - **CF402** Add-on Shelf
- 3 - **CF403** Threaded Rods 14"



CF406 - 240 Drawers

Includes:

- 12 - **CF312** Parts Cabinets
- 1 - **CF401** Rotating Base and Top Cover
- 2 - **CF402** Add-on Shelf
- 3 - **CF403** Threaded Rods 14"



CF407 - 384 Drawers

Includes:

- 12 - **CC453** Parts Cabinets
- 1 - **CF401** Rotating Base and Top Cover
- 2 - **CF402** Add-on Shelf
- 3 - **CF404** Threaded Rods 25"



CF408 - 480 Drawers

Includes:

- 12 - **CF314** Parts Cabinets
- 1 - **CF401** Rotating Base and Top Cover
- 2 - **CF402** Add-on Shelf
- 3 - **CF404** Threaded Rods 25"



Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CF405	192 Drawers	27 x 27 x 48	392
CF406	240 Drawers	27 x 27 x 48	407
CF407	384 Drawers	27 x 27 x 80	497
CF408	480 Drawers	27 x 27 x 80	600



CF408

Includes:

- Qty: 12 - **CF314** - Cabinet - 40 drawers
- Qty: 1 - **CF401** - Rotating Base and Top Cover
- Qty: 2 - **CF404** - Threaded Rod 25"
- Qty: 2 - **CF042** - Add-on Shelf



CF408

KLETON

DRAWER CABINETS



CF471




CF472



CF473



CF474



CF477



MA246

HEAVY-DUTY TILT BINS

- Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- Colour: Black and grey

Model No.	No. of Drawers	Bin Dimensions W" x D" x H"	Cabinet Dimensions W" x D" x H"	Wt. lbs.
CF471	8	2 3/4 x 3 1/4 x 3 5/8	11 3/4 x 2 3/4 x 7 7/8	1.8
CF472	6	3 11/16 x 4 x 4 5/8	11 3/4 x 3 1/2 x 9 3/4	2.26
CF473	5	4 1/2 x 4 7/8 x 5 1/2	23 1/2 x 4 x 5 7/8	2.84
CF474	4	5 5/8 x 6 3/8 x 7 1/2	23 1/2 x 5 1/2 x 7 7/8	3.10

MOBILE TILT BIN RACKS

- Heavy-duty steel frame
- Durable powder coat paint finish on galvanised steel
- 3" swivel casters with brake
- Single or double sided use
- Overall dimensions: 26 1/4" W x 22" D x 57 1/2" H
- Colour: Grey

Model No.	Description	Bin Units Included
CF477	Single Sided	2 of each CF471, CF472, CF473, CF474
CF478	Double Sided	4 of each CF471, CF472, CF473, CF474
CF475*	Cart Only	-
CF476	Mounting Channel for Heavy-Duty Tilt Bins	
CF502	Mounting Channel for Plastic Bins	


* Mounting channels and bins not included

MOUNTING CHANNEL CF476 FOR MOBILE TILT BIN RACK

- Takes up to six mounting channels per side
- **CF473** tilt bins take up to eight mounting channels per side
- **CF471** and **CF472** take 2 bin units per level per side



SEE PLASTIC BINS FOR CF502 MOUNTING CHANNEL on Page 88



DRAWER CABINET TRUCKS

- Allows repair or assembly parts to be transported directly to the work site
- Lower shelf provides added storage capacity
- Rolls smoothly on two rigid and two swivel 5" rubber casters
- Drawers come with two adjustable dividers and full width handles
- Overall truck dimensions: 36"W x 18"D x 35"H

Model No.	No. of Drawers	Bin Dimensions W" x D" x H"	Wt. lbs.
MA245	18	5 3/8 x 17 x 3 1/2	134
MA246	24	5 3/8 x 17 x 2	145
MA247	36	5 3/8 x 17 x 3 1/2	195
MA248	48	5 3/8 x 17 x 2	220



HI-STAK PLASTIC STORAGE BINS

- Innovative stacking design allows for greater visibility and easier access to contents
 - Distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline, and most acids
 - Ideal in production or for parts storage

BIN DIMENSIONS: 4 13/16" W X 7 1/8" D X 3 3/16" H



Model No.	Colour
CB260	Blue
CB261	Yellow
CC234	Green
CC242	Red
CC441	Replacement Faceplate & Label
CC263	Replacement Legs

BIN DIMENSIONS: 5 7/8" W X 9 13/16" D X 4 11/16" H



Model No.	Colour
CB262	Blue
CB263	Yellow
CC235	Green
CC243	Red
CC441	Replacement Faceplate & Label
CC263	Replacement Legs

BIN DIMENSIONS: 8 3/16" W X 14" D X 6 3/16" H



Model No.	Colour
CB264	Blue
CB265	Yellow
CC236	Green
CC244	Red
CC443	Replacement Faceplate & Label
CC437	Replacement Legs

BIN DIMENSIONS: 7 7/8" W X 17 11/16" D X 7" H



Model No.	Colour
CC239	Blue
CC240	Yellow
CC237	Green
CC245	Red
CC443	Replacement Faceplate & Label
CC437	Replacement Legs

BIN DIMENSIONS: 11 13/16" W X 17 11/16" D X 7" H



Model No.	Colour
CB266	Blue
CB267	Yellow
CC238	Green
CC246	Red
CC443	Replacement Faceplate & Label
CC437	Replacement Legs

INCLUDED FEATURES



Connector clip allows for back-to-back mounting




1" riser legs increase loading capacity and stability



Inclined faceplate with removable label and protector
CC441: 3" x 1/2"
CC443: 5 13/16" x 11"



Built-in extrusions allow side-by-side interlock






Stackable using built-in feet

ALL BINS ARE AVAILABLE IN 4 COLOURS



PLASTIC BINS

- Designed to hang from bin racks, panels, rails and carts
- Bins reduce and control inventories, shorten assembly times and minimize parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads
- Front, back and side grips for easy handling
- Stackable



1. Full width hanger supports bins when suspended from louvered panels or rails
2. Reinforced rib design adds strength and prevents spreading when stacked
3. Extra-wide ledges for secure stacking and stability
4. Large front label slots ideal for larger bar code scanning and content identification
5. Anti-slide stop prevents stacked bins from shifting forward
6. Optional dividers increase storage options
7. Optional windows maximize storage capacity, prevent spillage and protect parts from dust and dirt

Bin Model No.					Outside Dimensions W" x D" x H"	Inside Dimensions W" x D" x H"	Inside Bottom Depth X"	Bin Load Cap. lbs.	Uses Divider	Uses Clear Window
Blue	Red	Yellow	Green	Black						
CF820	CF822	CF823	CF821	CF824	4 1/8 x 5 3/8 x 3	3 7/16 x 4 3/4 x 2 13/16	4	10	CB825	-
CF825	CF827	CF828	CF826	CF829	4 1/8 x 7 3/8 x 3	3 7/16 x 6 3/4 x 2 13/16	6	10	CB826	-
CF830	CF832	CF833	CF831	CF834	5 1/2 x 10 7/8 x 5	4 3/8 x 10 1/4 x 4 3/4	9	30	CB829	CB814
CF835	CF837	CF838	CF836	CF839	11 x 10 7/8 x 5	10 x 10 1/4 x 4 3/4	9	50	CB829	CB815
CF840	CF842	CF843	CF841	CF844	8 1/4 x 10 3/4 x 7	6 9/16 x 10 x 6 3/4	8	50	CB830	CB818
CF845	CF847	CF848	CF846	CF849	8 1/4 x 14 3/4 x 7	6 9/16 x 14 x 6 3/4	12	60	CB831	CB818
CF850	CF852	CF853	CF851	CF854	16 1/2 x 14 3/4 x 7	14 3/4 x 14 x 6 3/4	12	75	CB831	CB819





STORAGE BINS

- Extra large and specialty bulk containers for convenient storage and transportation

JUMBO PLASTIC CONTAINERS

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline, and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to four high
- Outside Dimensions: 15 1/2" W x 25" D x 13" H
- Inside Dimensions: 13 1/2" W x 22 3/5" D x 12" H
- Capacity: 200 lbs.


Model No.	Colour
CF328	Blue
CF330	Yellow
CF329	Green
CF327	Red



COLLAPSIBLE CONTAINERS

- Polypropylene construction
- Reinforced base for added durability
- 16 heavy-duty steel pins built in for increased strength
- Collapses to 21" L x 14" W x 2" H for convenient storage
- Open dimensions: 21" L x 14" W x 10 1/2" H
- Capacity: 160 lbs.

Model No. CF326



CF326



COLLAPSIBLE BULK CONTAINER


- Drop gates knock-down with ease
- Quickly collapsed, folded, and stacked for convenient transportation
- Max. Height: 39.4"
- Max. Length: 47.2"
- Max. Width: 39.4"
- No. of Drop Gates: 2
- Capacity: 2000 lbs.
- Colour: Grey

Model No. CF862

Lid for Collapsible Bulk Container
Model No. CF863




CF862



CF863
Sold separately



STORAGE BINS & RACKS



CF412
(Bins not included)

NOTE: If mounting more than 1 Panel
2 Panels = 37" H
3 Panels = 55" H
4 Panels = 73" H
Width of 2 panels combined: 35 3/4"

HANGING METAL BIN PANELS

- Wall mount, attached to the back of shelving, mount on benches, carts, inside cabinets, fasten to slotted angle components, or use for service truck interior
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16-gauge cold-rolled steel
- Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- KLETON grey powder coated
- **Installation note:** Panels must be securely fastened to materials of adequate load bearing strength
- Each panel must be secured vertically at the centre


METAL BIN PANELS

Model No.	Panel Size W" x H"	Wt. lbs.
CF411	18 x 19	6
CF412	36 x 19	12

BIN QUANTITY TABLE - Quantity of identical plastic bins that fit Model CF412 Panel

Outside Bin Dimensions W" x D" x H"	Qty of Bins 1 Panel	Qty of Bins 2 Panel	Qty of Bins 3 Panel	Qty of Bins 4 Panel
4 1/8 x 5 3/8 x 3	32	72	104	144
4 1/8 x 7 3/8 x 3	32	72	104	144
5 1/2 x 10 7/8 x 5	18	36	54	72
11 x 10 7/8 x 5	9	18	27	36
8 1/4 x 10 3/4 x 7	8	18	28	36
8 1/4 x 14 3/4 x 7	8	16	28	36
16 1/2 x 14 3/4 x 7	4	8	14	18

* For CF411 Panel: Use 1/2 of bin quantities shown above.




36" LOUVERED BENCH RACKS

- All-welded louvered bench rack
- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners
- Durable KLETON blue enamel finish

Model No.	Description	W" x D" x H"	Wt. lbs.
CB363	Free Standing Bench Rack Only	36 x 10 x 22	22

RACK WITH BIN COMBINATIONS

W/ Red Bins	W/ Blue Bins	W/ Yellow Bins	W/ Green Bins	Outside Bin Dimensions W" x D" x H"	Bin Qty	Bin Capacity lbs.
CB146	CB145	CB147	CF359	4 1/8 x 5 3/8 x 3	32	320
CB152	CB151	CB153	CF361	4 1/8 x 7 3/8 x 3	32	320
CB155	CB154	CB156	CF363	5 1/2 x 10 7/8 x 5	18	540






STORAGE BINS & RACKS



Customise
KLETON products
to your specs!
See page 104




See Page 88 for
plastic bins

72" LOUVERED BENCH RACKS

- Provides tool and parts storage for assembly or repair operations when combined with plastic parts bins
- All-welded louvered bench rack
- Designed to be permanently installed on a 72" wide workbench
- Constructed of 1 1/4" square tube frame
- Durable KLETON blue enamel finish

Model No.	Description	W" x D" x H"	Wt. lbs.
CB364	Bolt-on Bench Rack	72 x 15 x 40	95



CB173

RACK WITH BIN COMBINATIONS

W/Red Bins	W/ Blue Bins	W/Yellow Bins	W/Green Bins	Outside Bin Dimensions W" x D" x H"	Bin Qty	Total Bin Capacity lbs.
CB173	CB172	CB174	CF365	4 1/8 x 7 3/8 x 3	144	1440
CB176	CB175	CB177	CF367	5 1/2 x 10 7/8 x 5	72	2160
CB185	CB184	CB186	CF369	8 1/4 x 14 3/8 x 7	36	2160

STATIONARY BIN RACKS

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable KLETON blue enamel finish

RACK WITH BIN COMBINATIONS

W/Red Bins	W/ Blue Bins	W/Yellow Bins	W/Green Bins	Rack Type	Outside Bin Dimensions W" x D" x H"	Bin Qty	Total Bin Capacity lbs.
CB654	CB655	CB656	CB685	Single-Sided	8 1/4 x 14 3/4 x 7	28	1680
CB370	CB371	CB372	CB687	Double-Sided	8 1/4 x 14 3/4 x 7	56	3360



ACCESSORIES FOR LOUVERED PANELS

Model No.	Description
CC165	Round Hook, 6"
CC166	Round Hook, 12"
CC167	Square Hook, 6"
CC168	Square Hook, 12"



Round Hook



Square Hook

STORAGE BINS & RACKS

Mobile all-welded steel racks are ideal for transportation of small parts.

Caster-Rack Systems Ltd.
Dartmouth, NS
902-468-1880
caster-rack.com
email: sales@caster-rack.com



**1000-LB.
CAPACITY**



CB367

MOBILE BIN CARTS

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted-on 5" non-marking casters and two louvered panels
- Durable KLETON blue enamel finish

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB365	Cart Only	24 x 38 1/2 x 36 1/2	95

CARTS/BIN COMBINATION

W/Blue Bins	W/ Red Bins	W/Yellow Bins	W/Green Bins	Bin/Qty
CB366	CB367	CB368	CB689	20

BIN QUANTITY TABLE

Quantity of identical plastic bins that fit Model CB365

Outside Bin Dimensions					Qty of Bins
W"	x	D"	x	H"	
8 1/4	x	14 3/4	x	7	16
16 1/2	x	14 3/4	x	7	4

MOBILE SINGLE SIDED BIN RACKS

- Ideal for transportation of small parts
- All-welded single-sided mobile bin rack
- Includes 3" casters and two louvered panels
- Durable KLETON blue enamel finish

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB359	Rack Only	36 x 16 x 52	60

RACK WITH BIN COMBINATIONS

W/Blue Bins	W/ Red Bins	W/Yellow Bins	W/Green Bins	Bin/Qty
CB650	CB651	CB652	CB681	36

BIN QUANTITY TABLE

Quantity of identical plastic bins that fit Model CB359

Outside Bin Dimensions					Qty of Bins
W"	x	D"	x	H"	
5 1/2	x	10 7/8	x	5	36


MOBILE DOUBLE SIDED BIN RACKS

- Ideal for transportation of small parts
- All-welded double-sided mobile bin rack
- Includes bolted-on 5" non-marking casters and six louvered panels
- Durable KLETON blue enamel finish

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
CB649	Rack Only	36 x 24 x 63	120

RACK WITH BIN COMBINATIONS.

W/Blue Bins	W/ Red Bins	W/Yellow Bins	W/Green Bins	Bin/Qty
CB089	CB090	CB091	CB683	96




**800-LB.
CAPACITY**



CB652



**1000-LB.
CAPACITY**



BULK STACKING RACKS

- Stackable up to 5 high
- Available with one drop gate or fully enclosed sides
- 4-way fork truck entry with 4" under-clearance

- Heavy-duty all-welded construction
- Mesh containers use 2" x 2" x 10-gauge wire mesh
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Available with one drop gate or fully enclosed sides
- Height: 24" inside, 30" overall
- Stackable up to 5 high
- Other sizes are available
- Painted durable KLETON blue

MESH CONTAINERS

**3000-LB.
CAPACITY**

Model No.	Description	Capacity lbs.	Width"	Length"	Wt. lbs.
CF449	Fully Enclosed	3000	34 1/2	40 1/2	125
CF450	One Drop Gate	3000	34 1/2	40 1/2	130
CF451	Fully Enclosed	3000	40 1/2	48 1/2	150
CF452	One Drop Gate	3000	40 1/2	48 1/2	160



CF449



CF450

SHEET CONTAINERS

**3500-LB.
CAPACITY**

Model No.	Description	Capacity lbs.	Width"	Length"	Wt. lbs.
CF453	Fully Enclosed	3500	34 1/2	40 1/2	150
CF454	One Drop Gate	3500	34 1/2	40 1/2	150
CF455	Fully Enclosed	3500	40 1/2	48 1/2	185
CF456	One Drop Gate	3500	40 1/2	48 1/2	185




CF453

CORRUGATED CONTAINERS

**4500-LB.
CAPACITY**

Model No.	Description	Capacity lbs.	Width"	Length"	Wt. lbs.
CF457	Fully Enclosed	4500	34 1/2	40 1/2	160
CF458	One Drop Gate	4500	34 1/2	40 1/2	160
CF459	Fully Enclosed	4500	40 1/2	48 1/2	195
CF460	One Drop Gate	4500	40 1/2	48 1/2	195




CF457

STACKING RACKS & REEL DISPENSERS


- All-welded steel construction, ready to use
- Customizable to your specs




Customise
KLETON products
to your specs!
See page 104



RL414 with 2 RL419



RL414 with 4 RL421



STACKING RACKS

- Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletized goods
- Rugged all-welded 2" sq. tubing steel construction
- Holds 4000 lbs per rack and can be stacked four high
- Posts and bases are sold separately
- Durable KLETON blue enamel finish

OPEN BASE FRAM

Model No.	Inside Dimensions D" x W"	Overall Dimensions D" x W"	Wt. lbs.
RL414	38 x 44	42 x 48	85
RL415	44 x 44	48 x 48	90

CLOSED BASE FRAME

Model No.	Inside Dimensions D" x W"	Overall Dimensions D" x W"	Wt. lbs.
RL416	38 x 44	42 x 48	110
RL417	44 x 44	48 x 48	115

ACCESSORIES

Model No.	Description	Overall Dimensions W" x H"	Wt. lbs.
RL418	42" Side Rail	42 x 48	30
RL419	48" Side Rail	48 x 48	32
RL420	42" Upright Post-Pack of 4	2 x 42	35
RL421	48" Upright Post-Pack of 4	2 x 48	40
RL422	60" Upright Post-Pack of 4	2 x 60	50

CABLE REEL ROLLERS


- For winding or dispensing cable, chain, wire, rope and hose
- Turns reel handling into a one-person operation
- Accommodates unlimited reel widths and all reel diameters with flanges up to 5 1/2" thick
- Heavy-duty side rollers eliminate slipping or wedging between rollers and reel
- Inclined ramp permits for easy loading and unloading
- Durable KLETON blue enamel finish

Model No.	Overall Dimensions L" x W" x H"	Inclined Ramp Angle	Pair Wt. lbs.
MD166	28 x 9 x 4 1/4	68°	58

REPLACEMENT WHEEL

Model No.	Description
MC064	3" Polyolefin Wheel





Customise
KLETON products
to your specs!
See page 104

STORAGE RACKS

- All-welded steel construction, ready to use
- Customizable to your specs

HORIZONTAL BAR STORAGE RACKS

- Ideal for storing bars, tube, pipe and angle
- Horizontally stores bars up to 10' long
- 9" deep arms with nine storage levels at 6" intervals
- Capacity: 1200 lbs.
- Durable KLETON blue enamel finish
- Shipped knocked down

1200-LB.
CAPACITY

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RB958	18 x 40 x 84	68

COMBINATION VERTICAL RACKS

- Stores bars up to 12' long and features three shelves for extra storage of small parts
- 8" deep arms divided into three sections
- Durable KLETON blue enamel finish
- Shipped knocked down

3000-LB.
CAPACITY


Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RL922	36 x 24 x 84	128

VERTICAL BAR STORAGE RACKS


- Ideal for storing bars, tube, pipe and angle
- All-welded steel construction
- Vertically stores bars up to 10' long
- Four 24" deep dividers
- Capacity: 3000 lbs.
- Durable KLETON blue enamel finish

3000-LB.
CAPACITY

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RL383	48 x 24 x 60	100



RB958




RL922




RL383

STORAGE RACKS


- All-welded steel construction, ready to use
- Customizable to your specs



**4000-LB.
CAPACITY**



**2000 - LB.
CAPACITY
Evenly Distributed**



Convert rack to
a mobile unit
using option
caster set
MN425

**600-LB.
CAPACITY**



STANDARD VERTICAL SHEET RACKS

- All-welded steel construction
- Designed for vertically storing sheet goods
- 4 bays with 10" between each bay
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- Capacity: 4000 lbs.
- Durable KLETON blue enamel finish

Model No.	Overall Dimensions L" x W" x H"	Wt. lbs.
RL384	50 x 84 x 36 3/4	200

HORIZONTAL SHEET RACKS

- Designed for storage of sheet materials
- Flat storage fully supports materials and reduces warping
- Sheets are accessible from all four sides
- All-welded construction and the frame is made of 2" square tubing
- Five shelf design creates four storage bays spaced 9 1/2" apart and a open top bay
- Bay Capacity: 2000 lbs. evenly distributed
- Maximum rack capacity: 8000 lbs.

Model No.	Overall Dimensions L" x W" x H"	Wt. lbs.
RL923	103 x 55 x 48	575

CARTON RACKS

- All-welded steel construction, ready to use
- Single tier rack has 20" high dividers with 10 1/2" space between the dividers
- Double tier rack has 20" high dividers on the bottom with 10 1/2" space between the dividers and 14" high dividers on the top with 8 1/2" space between the dividers
- Capacity: 600 lbs.
- Durable KLETON blue enamel finish

Model No.	Overall Dimensions W" x D" x H"
SINGLE TIER RACK	
MN423	48 x 18 x 22
DOUBLE TIER RACK	
MN424	48 x 18 x 58 1/2



GAS CYLINDER CABINETS

- Heavy-duty construction
- Innovative door design allows for left or right opening installation

- Heavy-duty construction
- Innovative door design allows for left or right opening installation
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- English and French warning labels included
- Padlock hasp for added security
- Safety yellow powder coat finish
- Shipped knocked down (except **SEB837** and **SEB838**)

COMPRESSED GAS (9" GAS CYLINDER BOTTLES)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SAF837	44 x 30 x 74	10	210
SAF848*	88 x 30 x 74	20	420

* Consists of two units of **SAF837**

LIQUID PROPANE (35-LB CYLINDERS)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SEB837*	30 x 17 x 37	2	70
SEB838*	17 x 17 x 69	2	85
SAF836	44 x 30 x 37	6	135
SAF847	44 x 30 x 74	12	270

Notes: Constructed to meet or exceed strict CSA International B149.2-00 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

* Fully assembled all-welded construction



SAF837



SAF848



SEB837



SEB838



SAF836



SAF847

WIRE MESH PARTITIONS & ENCLOSURES

Rugged KLETON wire mesh partitions and enclosures provide maximum security at a minimal cost. They are ideal for the storage of tools, valuable inventory, hazardous materials and any area of your plant where restricted access is required. Wire mesh panels permit full visibility and allow for unrestricted circulation of air, heat and light, providing an ideal storage facility.

- 2" x 2" x 10-gauge wire mesh
- 10-gauge frame (stiffeners included on all applicable sizes)
- Pre-drilled modular components allow for quick and easy installation
- Durable KLETON blue or safety yellow finish (Other colours available)




WIRE MESH PARTITION COMPONENTS

Everything necessary to create your own custom enclosure.

Fast and easy assembly, multiple sizes available.

Please follow these guidelines for determining the components required.



1. UNIVERSAL POSTS

A post must be placed at each end of every panel (or of every stack of panels). Be sure to calculate an extra 2" of overall wall length for each post added. When a post meets an existing wall, add one **KD115** wall bracket for proper support (fasteners are included with **KD115** to mount to post, not to wall).

Universal Posts

Blue Model No.	Yellow Model No.	Height	Wt. lbs.
KD053	KH860	8' 3"	22
KD046	KH922	10' 3"	27
KD050	KH923	12' 3"	32




2. PANELS

Whenever possible, stacking panels horizontally (one above the other) is more economical than placing them vertically (next to each other) - this is because fewer posts are required for wall support when panels are stacked.

Examples:

- For an 8' high partition, stack two **KD037** (8' x 4') panels horizontally
- For a 10' high partition, stack two **KD037** (8' x 4') and one **KD033** (8' x 2') panel horizontally
- For a 12' high partition, stack three **KD037** (8' x 4') panels horizontally

Panels



Blue Model No.	Yellow Model No.	Frame Dimensions W' x H'	Wt. lbs
KD121	KH926	4 x 1	10
KD120	KH927	8 x 1	21
KD030	KH928	2 x 2	10
KD031	KH929	3 x 2	11
KD032	KH914	4 x 2	12
KD033	KH915	8 x 2	31
KD034	KH916	8 x 3	40
KD035	KH930	3 x 4	20
KD036	KD130	4 x 4	23
KD037	KD131	8 x 4	45

3. ADJUSTABLE FILLER PANELS

Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.

Adjustable Filler Panels



Blue Model No.	Yellow Model No.	Dimensions W' x H'	Wt. lbs.
KD119	KH924	4 x 1	5
KD118	KH925	8 x 1	10



Safety Yellow

WIRE MESH PARTITIONS & ENCLOSURES


- Heavy-duty construction
- Innovative door design allows for left or right opening installation

WIRE MESH PARTITION COMPONENTS CONT'D

4. SWING DOORS

HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right (except the **KD112** and **KH937** heavy swing door with wicket which swings open to the left only)
- Fasteners are included




STANDARD-DUTY

- Frame constructed with 1 1/4" x 1 1/4" angle iron frame
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right
- Fasteners are included

5. SLIDING DOORS

HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width



STANDARD-DUTY

- Frame constructed with 1 1/2" x 1 1/2" angle iron frame
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
KD110	KH933	Heavy-Duty Swing Door	3 x 7	65
KH853	KH934	Standard-Duty Swing Door	3 x 7	54
KD111	KH935	Heavy-Duty Swing Door	4 x 7	74
KH854	KH936	Standard-Duty Swing Door	4 x 7	62
KD112	KH937	Swing Door c/w Wicket	4 x 7	85

Blue Model No.	Yellow Model No.	Description	Dimensions W' x H'	Wt. lbs.
KH852	KH938	Standard-Duty Sliding Door	4 x 8	71
KD106	KH939	Heavy-Duty Sliding Door	4 x 8	85
KD108	KH940	Heavy-Duty Sliding Door	8 x 8	122
KD107	KH941	Heavy-Duty Sliding Door	8 x 10	148

6. HARDWARE REQUIRED

For Each Stacked Panel Add:

- 4 x **MMH254**, 4 x **MMB721** for each 8' stacked panel
- 2 x **MMH254**, 2 x **MMB721** for each stacked panel under 8' long

For Each Post Add:

- 8 x **MMH262**, 8 x **MMB721**, 2 x **KD001** for each **KD053** and **KH860**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD046** and **KH922**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD050** and **KH923**

For Each Sliding Door Add:

- 1 x **KD028**, 1 x **KD029** door track for each **KD106** and **KH852** 4' wide sliding door
- 1 x **KD028**, 2 x **KD029** door track for each **KD108** and **KD107** 8' wide sliding door

Blue Model No.	Yellow Model No.	Description	Wt. lbs.
KD029	KH942	8' Door Track	16
KD028	KH943	Sliding Door Hardware Kit	6
KD115	KH944	Wall Bracket Kit	0.1
MMH254*	-	5/16" x 1" Carriage Bolt	0.01
MMH262*	-	5/16" x 3" Carriage Bolt	0.01
MMB721	-	Nut 5/16" Hex.	0.01
KD001	-	3/8" Anchor Bolt	0.01

* 1 x **MMB721** is required for each **MMH254** and **MMH262**

Call your distributor today, for your custom application.

KLETON

WIRE MESH PARTITION KITS

Rugged KLETON wire mesh partitions and enclosures provide maximum security at low cost for tools, valuable inventory, hazardous materials, and any area of your plant where restricted access is required. Bolt-down posts and reinforced panels provide the strength that your application demands.




**Customise
KLETON products
to your specs!
See page 104**




Standard STOCK SIZES include all basic bolt-together hardware required for fast and easy installation of modular wall and roof panels, and a standard 4' x 8' or 8' x 8' sliding door which may be located on any side, opening left-to-right or right-to-left. This system provides the versatility needed to expand or modify your enclosure quickly and at minimum cost. Order an enclosure with a roof for maximum security. CUSTOM SIZES can be designed to suit your special application regardless of the size required. Colour: KLETON blue.

Type A - 2 Sides




Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W x H	WITHOUT ROOF		WITH ROOF	
			Model No.	Wt. lbs.	Model No.	Wt. lbs.
8'3"	12'8" x 8'4"	4' x 8'	KD069	417	KD070	670
8'3"	16'8" x 12'6"	4' x 8'	KD057	535	KD058	1009
8'3"	24'8" x 16'6"	8' x 8'	KD061	682	KD062	1485
12'3"	12'8" x 8'4"	4' x 8'	KD067	583	KD068	836
12'3"	16'8" x 12'6"	4' x 8'	KD055	758	KD056	1232
12'3"	24'8" x 16'6"	8' x 8'	KD059	977	KD060	1780

Type B - 3 Sides



Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W x H	WITHOUT ROOF		WITH ROOF	
			Model No.	Wt. lbs.	Model No.	Wt. lbs.
8'3"	12'8" x 8'4"	4' x 8'	KD085	511	KD086	758
8'3"	16'8" x 12'6"	4' x 8'	KD073	690	KD074	1158
8'3"	24'8" x 16'6"	8' x 8'	KD077	878	KD078	1677
12'3"	12'8" x 8'4"	4' x 8'	KD083	730	KD084	977
12'3"	16'8" x 12'6"	4' x 8'	KD071	997	KD072	1465
12'3"	24'8" x 16'6"	8' x 8'	KD075	1273	KD076	2072

Type C - 4 Sides



Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W x H	WITHOUT ROOF		WITH ROOF	
			Model No.	Wt. lbs.	Model No.	Wt. lbs.
8'3"	12'8" x 8'4"	4' x 8'	KD101	688	KD102	923
8'3"	16'8" x 12'6"	4' x 8'	KD089	912	KD090	1368
8'3"	24'8" x 16'6"	8' x 8'	KD093	1190	KD094	1975
12'3"	12'8" x 8'4"	4' x 8'	KD099	996	KD100	1231
12'3"	16'8" x 12'6"	4' x 8'	KD087	1330	KD088	1786
12'3"	24'8" x 16'6"	8' x 8'	KD091	1740	KD092	2525

STRIP CURTAIN DOORS

- Save energy
- Reduce noise pollution
- Provide extra safe passage
- Control dust and sprays



Customise
KLETON products
to your specs!
See page 104



Everything you need in one package to install your own strip curtain door and save money!

Ordering Information

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple to follow installation instructions are included in every package.

1. Determine inside width and height of door opening.

NOTE: If mounting on door above lintel, measure from floor to mounting height.

2. Select type of PVC material required:

STANDARD or LOW TEMP.

Standard recommended for temperatures from -23°C to 66°C.

Low temp. recommended for interior use only for temperatures from -40°C to 66°C.

3. Select from the standard sizes listed in the chart below.

NOTE: If required size is not available, order the next largest size. Installation instructions describe how simple trimming can custom fit almost any door opening.

4. Special size doors and hanging applications are available upon request.

5. For overhead doors, please call one of our sales representatives for assistance.

EASY TO ORDER

It's easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings. Special sizes are available.

IN-STOCK DELIVERY

We have the strip curtain package you need, in-stock, ready to be delivered to your door.

Interior Doors




Save energy costs

- The optimal solution to open door heat/cooling loss

Reduce noise pollution

- Provides the ideal accoustical barrier around noisy equipment

Conveyors



Provide extra safe passage

- People can see and be seen so there's less chance of accidents

Control smoke, dust and sprays

- Strip curtains can control in-plant contaminants to improve employee environment

Docks



Low maintenance

- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt etc. can be removed by carefully applying ethanol

STANDARD DOOR SIZES

Strip Size	Door Opening W' x H'	Model No. Standard	Model No. Low Temp.	Wt. lbs.
8" (8" x .080)	4 x 7	KF022	KF004	25
	5 x 8	KF023	KF005	35
	6 x 8	KF024	KF006	40
12" (12" x .120)	8 x 8	KF026	KF008	80
	8 x 10	KF025	KF007	100
	10 x 10	KF020	KF002	125
	12 x 12	KF021	KF003	175

NOTE: Doors with 8" strips have 2" standard overlap. Doors with 12" strips have 4" standard overlap.



Replacement Strips - 5 per carton

Strip Size		Model No. Standard	Model No. Low Temp.	Wt. lbs.
8" x .080 x 8'		KF032	KF013	15
12" x .120 x 12'		KF029	KF011	45
BULK ROLLS				
Strip Size	Roll'	Model No. Standard	Model No. Low Temp.	Wt. lbs.
8" x .080	300	KI226	KI224	99
12" x .120	200	KI225	KI223	150

NOTE: Rolls also available in dark amber welding material ML959

SAFETY GUARDS


Rugged KLETON safety guards provide security and protection at low cost for tools, valuable inventory, hazardous materials, and any area of your plant where restricted access is required.




KD036




KD129



KH945



RL848



KD132

KD133

MESH STYLE INDIVIDUAL COMPONENTS

Blue Model No.	Yellow Model No.	Description	Dimensions	Wt. lbs.
KD036	KD130	Mesh Panel	4' H x 4' W	20
KD037	KD131	Mesh Panel	4' H x 8' W	39
KH861	KD129	Post Universal	49 1/2" H	13

Hardware required

Model No.	Description
KD001	Floor Anchors (Two per Post)
MMH262	5/16" x 3" Carriage Bolt (Four per Frame)
MMH966	5/16" Hex Nut (One Nut for Each MMH262)
KD116	Post Caps (One per Post)

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or KLETON blue powder coat finish

MESH STYLE KITS

Blue Model No.	Yellow Model No.	Description	Dimensions W" x H"	Wt. lbs.
KH945	RL848	Starter Section	48 x 48	46
KH946	RL849	Add-On Section	48 x 48	46
KH947	RL850	Starter Section	96 x 48	65
KH948	RL851	Add-On Section	96 x 48	55

Note: Includes assembly fasteners, floor anchors and post caps

SQUARE TUBE STYLE KITS

Model No.	Description	Dimensions W" x H"	Wt. lbs.
KD132	Starter Section	48 x 49 1/2	45
KD133	Add-On Section *	46 x 49 1/2	32
KD134	Starter Section	96 x 49 1/2	66
KD135	Add-On Section *	94 x 49 1/2	53

*Hardware to attach add-on section is included

Hardware required

KD001	Floor Anchors (2 Per Post)
KD116	Post Caps (1 Per Post)



RACKING PROTECTORS/GUARD RAILS

Prevent damage to shelving, racking and storage areas from fork lifts and pallet trucks.

STEEL RACKING AISLE PROTECTORS

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 12" high with an angle of 5" H x 3" W x 1/4" D with holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Safety yellow powder coat finish

Model No.	Description	Fits Upright Width"	Overall Dimensions L" x W" x H"	Wt. lbs.
RN059	Single Wrap - Left	42	50 1/4 x 3 x 12	38
RN060	Single Wrap - Right	42	50 1/4 x 3 x 12	38
RN061	Single Wrap - Left	48	56 1/4 x 3 x 12	41
RN062	Single Wrap - Right	48	56 1/4 x 3 x 12	41
RN063	Double Wrap	42	46 1/2 x 3 x 12	46
RN064	Double Wrap	48	52 1/2 x 3 x 12	49



RN059



RN060

FLOOR ANGLE GUARD RAILS

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Safety yellow powder coat finish

Model No.	Dimensions L" x W" x H"	Wt. lbs.
RN065	48 x 3 x 5	26
RN066	60 x 3 x 5	33
RN067	120 x 3 x 5	66



RN065

CUSTOMIZE . . .

- Strip Curtain Doors
- Platform Trucks
- Safety Guards
- Bollards
- Gas Cylinder Cabinets
- Workbenches
- Shelf Trucks
- And more...

Kleton builds quality and dependability into all of their products!

Look throughout the catalogue for the Kleton Custom Symbol indicating which products can be custom built to meet your specifications.



**Customise
KLETON products
to your specs!**



BUILT

KLETON



TOUGH


Call YOUR DISTRIBUTOR
with your specs today!
1-800-661-2400

BOLLARDS, PROTECTORS & SAFETY GUARDS

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coat finish


Model No.	Dimensions L" x H"	Wt. lbs.
KD127	24 x 18	65
KH855	36 x 18	75
KD128	48 x 18	85
KD136	24 x 42	95
KD856	36 x 42	110
KD139	48 x 42	115



HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment and high traffic areas
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish

Model No.	Height"	Wt. lbs.
KD125	24	30
KH857	36	40
KD126	48	50



UPRIGHT PROTECTORS

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- Four pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coat finish

Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.
RB925	7 x 7 x 18 1/4	15
KH858	7 x 7 x 12	12



PALLET RACK BACK GUARDS

Back guards help prevent accidents by keeping pallets or their contents from falling off the back. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2" x 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Safety yellow powder coated finish



Model No.	Description	Wt. lbs.
RL929	Back Guard 4' x 8' w/6" Brackets	39
RL930	Back Guard 4' x 8' w/9" Brackets	40
RL931	Back Guard 4' x 8' w/12" Brackets	41
RL932	Back Guard 4' x 9' w/6" Brackets	49
RL933	Back Guard 4' x 9' w/9" Brackets	50
RL934	Back Guard 4' x 9' w/12" Brackets	51
RL935	Back Guard 4' x 10' w/6" Brackets	57
RL936	Back Guard 4' x 10' w/9" Brackets	58
RL937	Back Guard 4' x 10' w/12" Brackets	59
RL938	Back Guard 4' x 11' w/6" Brackets	63
RL939	Back Guard 4' x 11' w/9" Brackets	64
RL940	Back Guard 4' x 11' w/12" Brackets	65
RL941	Back Guard 4' x 12' w/6" Brackets	70
RL942	Back Guard 4' x 12' w/9" Brackets	71
RL943	Back Guard 4' x 12' w/12" Brackets	72

TARPAULINS

Ideal for construction, farming, manufacturing or whatever your application. We carry a variety of sizes and colours for your needs.

Caster-Rack Systems Ltd.
Dartmouth, NS
902-468-1880
caster-rack.com
email: sales@caster-rack.com




STANDARD-DUTY BLUE POLYETHYLENE

- 8 x 8 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 36"
- 100 micrometers (4 mils) thick
- Increased UV resistance for long life
- Water-resistant coating



HEAVY-DUTY WHITE POLYETHYLENE

- 10 x 10 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 36"
- 150 micrometers (6 mils) thick
- Increased UV resistance for long life
- Water-resistant coating
- Four corner rubber patches for added strength



INDUSTRIAL GREEN /SILVER POLYETHYLENE

- 14 x 14 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 20"
- 225 micrometers (9 mils) thick
- Increased UV resistance for long life
- Water-resistant coating
- 9" x 9" three layers on each corners for added strength
- Green on one side and silver on the other side for heat and ultraviolet light diversion



SUPER HEAVY-DUTY SILVER

- 16 x 16 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 30"
- 300 micrometers (12 mils) thick
- Increased UV resistance for long life
- Water-resistant coating
- 9" x 9" triple-layered on four corners

Dimensions *		Standard-Duty Blue	Heavy-Duty White	Industrial Green/Silver	Super Heavy-Duty/ Silver
5' x 7'	1.5 m x 2.1 m	NI768			
6' x 8'	1.8 m x 2.4 m	NI769	NI780	JB567	
8' x 10'	2.4m x 3.1 m	NI770	NI781	JB568	JC626
10' x 12'	3.1 m x 3.7 m	NI771	NI782	JB569	JC627
10' x 20'	3.1m x 6.1 m	NI772			
12' x 16'	3.7m x 4.9 m	NI773	NI783	JB570	
16' x 20'	4.9 m x 6.1 m	NI774	NI784	JB571	JC628
18' x 24'	5.5 m x 7.3 m	NI775	JC512		JC629
20' x 30'	6.1 m x 9.1 m	NI776	JC513	JB572	JC630
24' x 30'	7.3 m x 9.1 m	NI777	NI785		JC631
30' x 40'	9.1 m x 12.2 m	NI778	JC514	JC516	JC632
30' x 50'	9.1 m x 15.2 m	JC510	JC515	JC517	JC633
30' x 60'	9.1 m x 18.3 m				JC634
40' x 50'	12.2 m x 15.2 m	JC511	JC625	JC518	
40' x 60'	12.2 m x 18.3 m	NI779	JB508	JB573	JC635

* Finished sizes slightly smaller due to hem allowance



TARPAULINS, FURNITURE PADS & TIE DOWNS

We carry a variety of tarpaulins and furniture pads for your specific needs.

CLEAR TARPAULINS

- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets every 27"
- 3 x 3 high density weave
- 200 micrometers (8 mils) thick

Model No.	Dimensions*
JD414	8' x 10'
JD415	10' x 12'
JD416	16' x 20'
JD417	20' x 30'
JD418	30' x 40'
JD419	40' x 60'

* Finished sizes slightly smaller due to hem allowance



INSULATED TARPAULINS

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R value: 1.0
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- Dimensions: 12' x 20'

Model No. JD420



PREMIUM FURNITURE PADS

- Protect furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning
- Cotton and polyester material
- Filling: 40 oz.
- Size: 72" x 80"
- Weight: 5.5 lbs.
- Colour: Dark blue and light blue

Model No. PF460



STANDARD FURNITURE PADS


- Protect furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning
- Cotton and polypropylene material
- Filling: 29 oz.
- Size: 72" x 80"
- Weight: 5 lbs.
- Colour: Dark blue and green

Model No. PF461



RUBBER TIE DOWNS

- Material: EPDM gives the ability to resist degradation resulting from weathering agents like UV rays and ozone making it perfect weather resistant rubber
- Retains its rebound qualities
- Rubber Tie Downs Straps resist cracking and rotting
- Durable Zinc plated steel "S" hooks



Model No.	Size"	Max. Safe Stretch"
PE366	5	7.5
PE367	9	13.5
PE368	15	22.5
PE369	21	31.5
PE370	31	46.5
PE371	41	61.5

RUBBER TIE DOWN SETS

Same great features as KLETON rubber tie downs however in the convenience of sets!

10-pc. Basic Tie Down Set

Set Includes:

- 4 - 21" tie downs (PE369)
- 2 - 31" tie downs (PE370)
- 4 - 41" tie downs (PE371)

Model No. PF090

16-pc. All-Purpose Tie Down Set

Set Includes:

- 2 - 9" tie downs (PE367)
- 2 - 15" tie downs (PE368)
- 4 - 21" tie downs (PE369)
- 4 - 31" tie downs (PE370)
- 4 - 41" tie downs (PE371)

Model No. PF091

20-pc. Professional Tie Down Set

Set Includes:

- 10 - 21" tie downs (PE369)
- 10 - 41" tie downs (PE371)

Model No. PF092